



PESTICIDE MANUFACTURER

Providing Comprehensive Crop Solutions



SUNSHINE&LOVE
AIR&WATER

BRAND PURPOSE

SunAgro offers full-category products of pesticides, just focusing on helping promote the branding development of customers & improving the lifestyle of farmers.



OUR ADVANTAGES



Full-category products of pesticides



Small customized package and branding development



15+ years professional plant protection solution supplier
(EC,SC,WDG,DF,SP,WP,EW,OD,CS,ME,FU)



Strong business team



Strong business presence and extensive local expertise in the Middle Eastern and Central Asian markets.



HERBICIDES FOR RICE



Cyhalofop-Butyl 8% + Quinclorac 32% WP	Acetochlor 10.8%+Bensulfuron-methyl 3.2%WP
Penoxsulam 30g/L + Cyhalofop-butyl 200g/L OD	Cyhalofop-butyl 12% + Metamifop 8% EC
Isoxadifen-Ethyl 200g/l + Tembotrione 400g/l SC	Metamifop 10% +Cyhalofop-Butyl 15%+Quinclorac 10% OD
Metamifop 10%+Fluroxypyr-Meptyl 5%+Cyhalofop-Butyl 15% OD	Metamifop 12% + Penoxsulam 2.5% + Bispyribac-Sodium 4% OD
Metamifop 4% + Clomazone 4% + Propanil 30% EC	Cyhalofop-butyl 250g/L+ Quinclorac 120g/L+ Bensulfuron-methyl 130g/L OD
Penoxsulam 30g/L + Cyhalofop-butyl 200g/L + Metamifop 150g/L OD	

HERBICIDES

Pendimethalin (330g/L EC, 455g/LCS, 400g/LEC)	Linuron (50% WDG, 45%SC, 50% SC)
Haloxypop-R-Methyl (108 g/L EC)	Pyroxasulfone (85%WDG, 40%SC)
Oxyfluorfen (240 g/L EC)	Clopyralid (30% SL, 75% SG)
Fluroxypyr (200 g/L EC, 288 g/L EC, 50% OD)	Mesotrione (10% OD)
Oxadiazon (30% WP, 35% SC)	Rimsulfuron (25% WDG)
Tribenuron-Methyl (75% WDG)	Tembotrione (8% OD, 420g/LSC)
Bentazone (40% SL, 480 g/L SL, 560 g/L SL)	Bispyribac-Sodium (100 g/L SC, 20% WP, 40% SC)
Clethodim (24% EC)	Clomazone (360 g/L EC, 360 g/L CS, 480 g/L EC)
Halosulfuron-Methyl (75% WDG)	Hexazinone (5% GR, 24% SL, 75% WDG)
Metribuzin (70% WDG)	Nicosulfuron (40 g/L OD, 80% WDG)
Quizalofop-P-Ethyl (5% EC)	S-Metolachlor (960 g/L EC)
Thifensulfuron-Methyl (15% WP, 25% WP, 75% WDG)	Trifloxysulfuron (75% WDG)
Imazamox (40g/L SL)	Prometryn (50%SC)
Isoxaflutole (75%WDG, 20%SC)	Atrazine 45% + Mesotrione 5% SC
Clodinafop-Propargyl 50g/L + Pinoxaden 50g/L+ Cloquintocet-Mexyl 12.5g/L EC	Dicamba 500g/kg + Prosulfuron 50g/kg WDG
Isoproturon 35.3% + Mesosulfuron-Methyl 1.7% + Mefenpyr-Diethyl 0.8% WDG	Isoxaflutole 100g/L + Thiencarbazone-Methyl 25g/L SC
Mesosulfuron-Methyl 3% + Iodosulfuron-Methyl Sodium 0.60%+Mefenpyr-Diethyl 5% WDG	Metribuzin 70% + Rimsulfuron 5% WDG
Nicosulfuron 100g/kg + Dicamba 312.5g/kg + Mesotrione 150g/kg WDG	S-Metolachlor 375 g/L + Mesotrione 37.5 g/L + Terbutylazine 125 g/L SE
Phenmedipham 9.1% + Desmedipham 7.1% + Ethofumesate 11.2% EC	Pretilachlor 360g/L + Metamifop 40g/L EC
Quizalofop-P-Ethyl 5% + Oxyfluorfen 240g/L EC	Glyphosate39%+Saflufenacil 1% OD
Thidiazuron 360g/l + Diuron 180g/l SC	2,4-D 410g/l + Florasulam 7.4g/L SE

Aluminium phosphide (56%TB)	Acetamiprid (20%SP (Blue or white), 5%EC, 70%WDG)
DDVP (50%EC, 77.5%EC)	Bifenthrin (10%SC)
Dimethoate (40%EC)	Acephate (75%SP)
Abamectin (1.8% EC, 3.6% EC)	Chlorfenapyr (240g/l SC, 480g/l SC)
Chlorpyrifos (10% GR, 50% EC)	Cyantraniliprole (20% SC, 80% WDG)
Chlorantraniliprole (25% SC, 30% SC, 35%WDG)	Cypermethrin (10% EC, 25% EC, 25% WP)
Diafenthiuron (25% EC, 50% SC, 50% WP)	Emamectin Benzoate (30% WDG, 75% WDG, 10%DF,10% SC, 2% EC)
Fipronil (2.5% EC, 5% SC, 0.05% GEL, 80% WDG)	Flonicamid (20% SC, 50% WDG)
Imidacloprid (55% EC, 30% FS, 35% SC, 70% WP, 70% WDG)	Lambda-Cyhalothrin (50g/l EC, 25% WP)
Profenofos (720g/l EC)	Pymetrozine (25% WP, 25% SC, 50% WDG)
Spiromesifen (240g/l SC)	Tebufozide (24% SC)
Thiamethoxam (25% SC, 75% WDG, 25% DF)	Thiocyclam (50% SP)
Carbosulfan (20%EC,5%GR)	Trichlorfon (30% EC, 90% SP)
Chlorpyrifos 50% + Cypermethrin 5% EC	Chlorpyrifos 60% + Cypermethrin 6% EC
Profenofos 40% + Cypermethrin 4% EC	Abamectin 1.8% + Acetamiprid 3.2% EC
Lambda-cyhalothrin 5% + Acetamiprid 10%EC	Abamectin 3% + Chlorfenapyr 20% SC
Emamectin benzoate 10% + Flonicamid 10% SL	Abamectin11.4 g/L + Spiromesifen 228.6 g/L SC
Abamectin 3% + Bifenazate 30% SC	Chlorantraniliprole 20% + Lufenuron 20% SC
Dinotefuran 40% + Flubendiamide 20% WDG	Emamectin Benzoate 10% + Lufenuron 40% WDG
Flonicamid 25% + Thiamethoxam 25% WDG	Flubendiamide 100 g/L + Spirotetramat 75 g/L SC
Imidacloprid 300g/L + Bifenthrin 75g/L + Abamectin 21g/L SC	Lambda-Cyhalothrin 106 g/L + Thiamethoxam 141 g/L SC
Pymetrozine 50% + Dinotefuran 20% WG	Pyridaben 5% + Diafenthiuron 50% SC
Pyriproxyfen 25% + Spinosad 5% SC	Thiacloprid 5% + Indoxacarb 20% SC
Thiacloprid 50 g/L + Lambda-Cyhalothrin 50 g/L OD	Cyantraniliprole 10% + Dinotefuran 25% WDG
Cyantraniliprole 100 g/L+ Dinotefuran 250 g/L+ Lufenuron 30 g/L WDG	Spinosad 240g/L + Abamectin 40g/L+ Lufenuron 50g/L SC
Thiamethoxam 20% + Chlorantraniliprole 10% SC	Spirotetramat 11% + Buprofezin 22% SC
Chlorfenapyr 10% + Dinotefuran 10% SC	Spirotetramat 12% + Afidopyropen 3% ME
Carbosulfan 6% + Acetamiprid 2% EC	Carbosulfan 36% + Acetamiprid 14% OD

ACARICIDE

Propargite (73%EC)	Etoxazole (20%SC)
Spirodiclofen (24%SC)	Spirotetramat (22.4%SC)
Fenpyroximate (5%SC)	Bifenazate (480g/l SC)
Cyflumetofen (20%SC)	Fluazinam (40%SC)
Hexythiazox (5%EC)	

NEMATOCIDE

1,3-Dichloropropene (95%EC)	Fosthiazate (150G/L EC, 30%CS, 10%GR,20%EW)
Metam-sodium (42%SL, 35%SL)	Fluopyram (40%SC)
Abamectin (5%EC)	Oxamyl + IBA (24%+1%SL)
Matrine (0.6%SL)	Abamectin1% + Fosthiazate20% EW
Oligosaccharins0.5% + Fosthiazate19.5% EW	

BIOPESTICIDE

Azadirachtin (0.3%EC, 1%ME)	Bacillus Subtilis (100 billion/g)
Bacillus Thuringiensis (Bt) (3.2% WP, 8% SC, 16,000 IU/mg WP)	Beauveria Bassiana (2.5% WP, 10% WP, 1 × 10 ¹⁰ CFU/g OD)
Ethylcin (30% EC, 41% EC, 80% EC)	Kasugamycin (2% SL, 4% SL, 6% WP)
Matrine (0.3% AS, 0.5% SL, 1% SL, 2% AS)	Metarhizium anisopliae (2.5% WP, 10 Billion CFU/g OD, 5Billion CFU/g SC)
Ningnanmycin (2% SL, 8% AS, 10% WP)	Oligosaccharins (2% AS, 3% AS, 5% SL)
Rotenone (2.5% EC, 4% EC, 7.5% EC)	Spinosad (240g/l SC, 480g/l SC)
Trichoderma harzianum (2% WP, 300 million CFU/g WP, 1 billion CFU/g OD)	Validamycin (3% AS, 5% AS, 10% WP, 20% WP)

Fosetyl-aluminium (80%WP)	Azoxystrobin (25% SC, 50% WDG)
Boscalid (50% WDG)	Captan (80% WDG, 50% WP)
Carbendazim (50% SC, 50% WP, 50% SP, 80%WP)	Chlorothalonil (720g/L SC, 75% WP)
Copper Oxychloride (85% WP, 77% WP)	Cymoxanil (25% WDG)
Cyprodinil (300g/L SC, 50% WDG, 75% WDG)	Difenoconazole (250g/L EC, 10% EC)
Fluopyram (400g/L SC)	Flutriafol (250g/L SC)
Hexaconazole (5% EC, 10% SC)	Hymexazol (300g/l SL, 70% SP)
Imazalil (50% EC)	Iprodione (500g/l SC, 50% WP)
Kasugamycin (2% SL, 2% WP)	Kresoxim-Methyl (50% WDG, 50% DF)
Mancozeb (80% WP, 75% WP, 75% DF, 75% WDG)	Metiram (70% DF, 70% WDG)
Metalaxyl (35% WP, 35% WS, 5% GR)	Metalaxyl-M (35% EC)
Penconazole (10% EC, 20% EW, 97% TC)	Propiconazole (50% EC, 62%EC)
Propineb (70% WP)	Tebuconazole (25% EC, 2% DS, 25% SC, 25% EW, 25% WP)
Thiram (50% WP, 80% WP, 80% WDG)	Thiophanate-Methyl (70% WP, 500g/L SC)
Triadimefon (25% WP, 25% EC)	Zineb (700g/kg DF, 80% WP (Blue))
Trifloxystrobin (50% WDG)	Mancozeb 64% + Metalaxyl 8%WP
Mancozeb 64% + Metalaxyl 4%WDG	Azoxystrobin 125g/L + Difenoconazole 125g/L SC
Azoxystrobin 22% + Metalaxyl-M 16%SE	Boscalid 10% + Azoxystrobin 20% SC
Azoxystrobin 200g/L + Cyproconazole 80g/L SC	Cyproconazole 80g/L + Propiconazole 250g/L EC
Cymoxanil 4.2% + Copper Oxychloride 69.7% WP	Dimethomorph 12% + Pyraclostrobin 6.7% DF
Cyprodinil 20% + Boscalid 20% SC	Fludioxonil 25% + Cyprodinil 37.5% WDG
Famoxadone 22.5% + Cymoxanil 30% WDG	Fluopyram 20% + Pyraclostrobin 20% SC
Fluopimomide 20% + Hexaconazole 20% SC	Pyraclostrobin 12.8% + Boscalid 25.2% WDG
Fluopyram 250g/L + Trifloxystrobin 250g/L SC	Tebuconazole 50% + Trifloxystrobin 25% WDG
Propamocarb 62.5% + Fluopyram 6.25% SC	Thiophanate-Methyl 70% + Metalaxyl 15% WP
Difenoconazole 25% + Trifloxystrobin 15%SC, WDG	



6-BA (6-Benzylaminopurine) (2% SP)	BNOA (2-Naphthoxyacetic Acid) (98%TC)
Brassinolide (0.1% SL, 0.01% SP, 90% TC)	Chlormequat (98% TC, 50% SL, 80% SP)
CPPU (Forchlorfenuron) (99% TC, 1% WP, 2% SP)	DA-6 (Diethyl Aminoethyl Hexanoate) (98% TC, 8% SP)
Ethephon (480g/l SL, 720g/l SL, 85% TC, 90% TC)	GA3 (Gibberellic Acid) (5% TB, 10% TB, 10% SP, 40% SP, 90% TC)
IAA (Indole-3-Acetic Acid) (98% TC)	IBA (Indole-3-Butyric Acid) (2% SP, 98% TC)
Mepiquat Chloride (50% AS, 8% SP, 25% AS)	NAA (1-Naphthylacetic Acid) (98% TC, 5% AS, 5% SL, 20% SP)
Paclobutrazol (15% WP, 25% SC, 25% WP, 30% WP)	Prohexadione-Calcium (10% WDG, 10% WP)
S-ABA (Absciscic Acid) (10% SP)	Sodium Nitrophenolate (98% TC, 1.4% AS)
Maleic hydrazide (80%WDG, 30.2%SL)	Uniconazole (95% TC, 5%WP)
6-Benzylamino-Purine 0.15% + 4-Indol-3-Ylbutyric Acid 0.85% SL	Benzyl Aminopurine 1.8% + GA4+7 1.8% SL
Forchlorfenuron 0.1% + Gibberellic Acid 0.2% SL	IBA 1% + NAA 1% SP
Naphthoxyacetic Acid 0.13% + 4-CPA 0.13% SL	Sodium O-Nitrophenolate 0.6% + NAA 1.2% + Sodium P-Nitrophenolate 0.9% + Sodium Dinitrophenolate 0.15% SL

PRESERVATIVES

Prochloraz (25%EC, 45%EC, 45% EW)	Thiabendazole (40%WP, 45%SC, 50% SC, 60% WDG)
Imazalil (500g/L EC)	Pyrimethanil (50%SC)
1-MCP (3.3%DP, 3.46%DP)	S-ABA (95%TC)

SEED DRESSING

Thiamethoxam (350g/l FS,600g/l FS)	Fludioxonil (6% FS, 25g/L FS, 120g/L FS)
Difenoconazole25g/l+Thiamethoxam262.5g/l+ Fludioxonil 25g/l FS	Thiamethoxam 350g/l+Metalaxyl-M 3.34g/l+ Fludioxonil 25g/l FS
Fludioxonil 25g/l+Metalaxyl-M 10g/l FS	Imidacloprid 140g/l +Pencycuron150g/l FS
Azoxystrobin75g/l + Metalaxyl-M37.5g/l + Fludioxonil 12.5g/l FS	Fludioxonil1%+Metalaxyl-M2%+ Thifluzamide3% FS



HEBEI SUNAGRO AGROSCIENCE TECHNOLOGY CO., LTD.

- 📍 **ADD:** Room1906, Bai Chuan Building–West,Chang An District,
Shijiazhuang Hebei Province,P.R China
- 🌐 **Web:** www.sunagroscience.com
- ✉ **E-mail:** info@sunagros.com

